

## **GPPA600 and PP310** Material Safety Data

## According to 1907/2006/EC, Article 31

# 1. Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Trade name: GPPA600 and PP310 Article number: R038092-00

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

Application of the substance / the mixture: Sealant Adhesives

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:Kömmerling Chemische Fabrik GmbH Zweibrücker Straße 200 D-66954 Pirmasens

Tel.: +49 (0)6331/56-2000 www.koe-chemie.de

#### Informing department:

Abteilung: C-U Qualitäts- und Umweltmanagementcenter (department: C-U Quality- and Environmentalmanagementcenter) Tel.: +49 (0)6331/56-2553; Fax.: +49 (0)6331/56-1091 e-Mail: Productsafety@Koe-Chemie.de

#### 1.4 Emergency telephone number:

In case of poisoning: GBK-EMTEL International Tel.(24h): +49(0)6132/84463 (all languages)

In case of transport accidents: Tel.(24h): (001) 352 323 3500 (Infotrac - Contract ID: 90373 / GBK)

## 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008 Void
Hazard pictograms: Void
Signal word: Void
Hazard statements: Void
Additional information: EUH210 Safety data sheet available on request.
2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

## 3. Composition/information on ingredients

#### 3.2 Chemical characterisation: Mixtures

Description: Mixture of several substances

| Dangerous Components   |   |      |
|--|---|------|
| CAS: 28553-12-0<br>EINECS: 249-079-5<br>Reg.nr.: 01-2119430798-28-xxxx | di-"isononyl" phthalate<br>substance with a workplace<br>exposure limit             | <10% |
| CAS: 2768-02-7<br>EINECS: 220-449-8<br>Reg.nr.: 01-2119513215-52-xxxx  | trimethoxyvinylsilane<br>Flam. Liq. 3, H226; STOT RE 2,<br>H373; Acute Tox. 4, H332 | <2%  |

SVHC Doesn't contain SVHC-substances.

Additional information For the wording of the listed hazard phrases refer to section 16.

## 4. First aid measures

## 4.1 Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact: Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent. After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

## **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## 5. Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing agents: Water spray, Alcohol-resistant foam, Fire-extinguishing powder, Carbon dioxide

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. **5.3 Advice for firefighters** 

Protective equipment: Wear self-contained respiratory protective device.

## 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:** Pick up mechanically.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7. Handling and storage

7.1 Precautions for safe handling Use only in well ventilated areas. Information about protection against explosions and fires: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

**Information about storage in one common storage facility:** Store away from foodstuffs.

Further information about storage conditions: Protect from frost. Keep receptacle tightly sealed. Protect from heat and direct sunlight. Store receptacle in a well ventilated area. Store in dry conditions. Storage class (according german VCI-concept): 10

7.3 Specific end use(s) No further relevant information available.

## 8. Exposure controls/personal protection\*

Additional information about design of technical systems: No further data; see item 7.

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

| 28553-12-0 di-"isononyl" phthalate     |                     |
|--|---------------------|
| WEL (Great Britain)<br>Long-term value | 5 mg/m <sup>3</sup> |

Additional Occupational Exposure Limit Values for possible hazards during processing:

| 67-56-1 methanol          |   |
|---------------------------|---|
| WEL (Great Britain)       | Short-term value: 333 mg/m³, 250 ppm<br>Long-term value: 266 mg/m³, 200 ppm<br>Sk |
| IOELV<br>(European Union) | Long-term value: 260 mg/m³, 200 ppm<br>Skin                                       |

#### Additional information:

The homogenous mixing of this product is safeguarded by continual physical testing. Raw materials which formerly had dust-like properties are completely incorporated into the liquid / paste-like mass. Subsequently, possible TLVs for solid substances are not given, as there is no more danger of inhaling these substances (when dealing with this mixture)!



#### 8.2 Exposure controls

## Personal protective equipment

## General protective and hygienic measures

The usual precautionary measures should be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of the work.

#### Breathing equipment: Not required.

**Protection of hands:** Direct contact with the chemical preparation must be avoided by organizational measures. Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work. Compliance with the stated penetration time (starts with the first product contact) must be ensured! The gloves need to be disposed of after the penetration time and new gloves used!

For the permanent contact gloves made of the following materials are suitable: If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the "Barrier 02-100" underglove from Ansell (penetration time 480 min).

## For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber (0.7mm - penetration time 15 min)

As protection from splashes gloves made of the following materials are suitable: Recommended for protection from splashes: disposable nitrile gloves (minimum thickness 0.12 mm) with long cuffs. After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

**Eye protection:** Safety glasses recommended if direct contact (with the product) may occur.

## 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

**General Information** 

| Appearance                                  |                        |
|---|------------------------|
| Form:                                       | Pastv                  |
|   |                        |
| Colour:                                     | White                  |
| Odour:                                      | Characteristic         |
| Odour threshold:                            | Not determined.        |
| Change in condition                         |                        |
| Initial boiling point and boiling range:    | Not applicable         |
| Flash point:                                | > 100 °C               |
| Ignition temperature:                       | > 200 °C               |
| Explosion limits:                           |                        |
| Lower:                                      | Not determined         |
| Upper:                                      | Not determined         |
| Vapour pressure at 20 °C:                   | < 100 hPa              |
| Specific gravity at 20 °C:                  | 1.57 g/cm <sup>3</sup> |
| Vapour density                              | Not determined.        |
| Evaporation rate                            | Not determined.        |
| Solubility in / Miscibility with water:     | Insoluble              |
| Partition coefficient: n-octanol/<br>water: | Not determined         |
| Solvent content:                            |                        |
| VOC (EU):                                   | 0.3 g/l                |
| VOC (EU):                                   | 0.02 %                 |
| VOC (CH):                                   | 0.02 %                 |
| • •   |                        |

9.2 Other information No further relevant information available.

## 10. Stability and reactivity

10.1 Reactivity No further relevant information available.10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** Reacts with acids. Reacts with strong oxidizing agents.

10.4 Conditions to avoid: No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available. **10.6 Hazardous decomposition products:** 

Contact with water (or air humidity) liberates minor quantities of: methanol

## In case of fire, the following substance(s) may occur: Nitrogen oxides

Sulphur oxides (SOx)

## **11. Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values that are relevant for classification:

| ATE (Acute Toxicity Estimates)  |          |               |  |
|---------------------------------|----------|---------------|--|
| Inhalative                      | LC50/4 h | 969 mg/l      |  |
| 2768-02-7 trimethoxyvinylsilane |          |               |  |
| Inhalative                      | LC50/4 h | 11 mg/l (ATE) |  |

#### Primary irritant effect:

Skin corrosion/irritation

Based on available data, the classification criteria are not met. Serious eve damage/irritation

Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

### CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

Based on available data, the classification criteria are not met. **Reproductive toxicity** 

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## **12. Ecological information**

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available. **12.2 Persistence and degradability** No further relevant information available. **12.3 Bioaccumulative potential** No further relevant information available. **12.4 Mobility in soil** No further relevant information available. **Additional ecological information: General notes:** Do not allow product to reach ground water, water course or sewage system. **12.5 Results of PBT and vPvB assessment** 

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

## **13. Disposal considerations**

## 13.1 Waste treatment methods

Recommendation Disposal in accordance with official regulations EWC-Code(s):

To be treated as industrial waste: do not dispose of in or on soil, in watercourses or bodies, or through a sewage system. These EU refuse



code numbers are recommendations for waste accruing through the use of adhesives and sealants. Any waste produced from organic solvents or other dangerous substances listed under item 3 of this safety datasheet is itself classified as dangerous (\*).

#### Waste accruing during application:

080409\* waste adhesives and sealants containing organic solvents or other dangerous substances 080410 waste adhesives and sealants other than those mentioned in 080409

Waste accruing during cleaning:

08 04 11\* adhesive and sealant sludges containing organic solvents or other dangerous substances 08 04 12 adhesive and sealant sludges other than those mentioned in 080411

Soiled waste packaging:

 $15\ 01\ 10^*$  packaging containing residues of or contaminated by dangerous substances.

Clean waste packaging:

15 01 01 paper and cardboard packaging

15 01 02 plastic packaging

15 01 04 metallic packaging

## Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

## **14. Transport information**

| 14.1 UN-Number   |                 |
|--|-----------------|
| ADR/RID/ADN, ADN, IMDG, IATA   | Void            |
| 14.2 UN proper shipping name   |                 |
| ADR/RID/ADN, ADN, IMDG, IATA   | Void            |
| 14.3 Transport hazard class(es)  |                 |
| ADR/RID/ADN, ADN, IMDG, IATA   |                 |
| Class  | Void            |
| 14.4 Packing group   |                 |
| ADR/RID/ADN, IMDG, IATA  | Void            |
| 14.5 Environmental hazards:  |                 |
| Marine pollutant:  | No              |
| 14.6 Special precautions for user  | Not applicable. |
| 14.7 Transport in bulk according to Annex<br>II of Marpol and the IBC Code | Not applicable. |
| UN "Model Regulation"  | Void            |

## **15. Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 52a 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16. Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Legend of H- and R-phrases, concerning the in chapter 3 mentioned substances (marking of product please see chapter 2)

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

#### Department issuing SDS:

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity - Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

\* Data compared to the previous version altered.

